UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/526,735	03/04/2005	Volkmar Schulz	PHDE020199US	7890
38107 7590 06/06/2008 PHILIPS INTELLECTUAL PROPERTY & STANDARDS 595 MINER ROAD CLEVELAND, OH 44143			EXAMINER	
			CWERN, JONATHAN	
CLEVELAND, OR 44145			ART UNIT	PAPER NUMBER
			3737	
			MAIL DATE	DELIVERY MODE
			06/06/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Advisory Action Before the Filing of an Appeal Brief

Application No.	Applicant(s)	
10/526,735	SCHULZ ET AL.	
Examiner	Art Unit	

The MAILING DATE of this communication appears on the cover sheet with the correspondence address
THE REPLY FILED 23 May 2008 FAILS TO PLACE THIS APPLICATION IN CONDITION FOR ALLOWANCE.
1. The reply was filed after a final rejection, but prior to or on the same day as filing a Notice of Appeal. To avoid abandonment of this application, applicant must timely file one of the following replies: (1) an amendment, affidavit, or other evidence, which places the application in condition for allowance; (2) a Notice of Appeal (with appeal fee) in compliance with 37 CFR 41.31; or (3) a Request for Continued Examination (RCE) in compliance with 37 CFR 1.114. The reply must be filed within one of the following time periods:
a) The period for reply expiresmonths from the mailing date of the final rejection.
b) The period for reply expires on: (1) the mailing date of this Advisory Action, or (2) the date set forth in the final rejection, whichever is later. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of the final rejection.
Examiner Note: If box 1 is checked, check either box (a) or (b). ONLY CHECK BOX (b) WHEN THE FIRST REPLY WAS FILED WITHIN TWO MONTHS OF THE FINAL REJECTION. See MPEP 706.07(f).
Extensions of time may be obtained under 37 CFR 1.136(a). The date on which the petition under 37 CFR 1.136(a) and the appropriate extension fee have been filed is the date for purposes of determining the period of extension and the corresponding amount of the fee. The appropriate extension fee under 37 CFR 1.17(a) is calculated from: (1) the expiration date of the shortened statutory period for reply originally set in the final Office action; or (2) as set forth in (b) above, if checked. Any reply received by the Office later than three months after the mailing date of the final rejection, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). NOTICE OF APPEAL
2. The Notice of Appeal was filed on A brief in compliance with 37 CFR 41.37 must be filed within two months of the date of filing the Notice of Appeal (37 CFR 41.37(a)), or any extension thereof (37 CFR 41.37(e)), to avoid dismissal of the appeal. Since Notice of Appeal has been filed, any reply must be filed within the time period set forth in 37 CFR 41.37(a).
<u>AMENDMENTS</u>
3. The proposed amendment(s) filed after a final rejection, but prior to the date of filing a brief, will <u>not</u> be entered because (a) They raise new issues that would require further consideration and/or search (see NOTE below); (b) They raise the issue of new matter (see NOTE below);
(c) They are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal; and/or
(d) ☐ They present additional claims without canceling a corresponding number of finally rejected claims.
NOTE: Amendments would require further consideration. (See 37 CFR 1.116 and 41.33(a)).
4. The amendments are not in compliance with 37 CFR 1.121. See attached Notice of Non-Compliant Amendment (PTOL-324).
5. Applicant's reply has overcome the following rejection(s):
6. Newly proposed or amended claim(s) would be allowable if submitted in a separate, timely filed amendment canceling the non-allowable claim(s).
7. For purposes of appeal, the proposed amendment(s): a) will not be entered, or b) will be entered and an explanation of how the new or amended claims would be rejected is provided below or appended. The status of the claim(s) is (or will be) as follows: Claim(s) allowed: 6 and 11-13. Claim(s) objected to: 2-5 and 7-10.
Claim(s) rejected: <u>14-21</u> .
Claim(s) withdrawn from consideration: AFFIDAVIT OR OTHER EVIDENCE
8. The affidavit or other evidence filed after a final action, but before or on the date of filing a Notice of Appeal will <u>not</u> be entered because applicant failed to provide a showing of good and sufficient reasons why the affidavit or other evidence is necessary and was not earlier presented. See 37 CFR 1.116(e).
9. The affidavit or other evidence filed after the date of filing a Notice of Appeal, but prior to the date of filing a brief, will not be entered because the affidavit or other evidence failed to overcome all rejections under appeal and/or appellant fails to provide a showing a good and sufficient reasons why it is necessary and was not earlier presented. See 37 CFR 41.33(d)(1).
10. The affidavit or other evidence is entered. An explanation of the status of the claims after entry is below or attached. REQUEST FOR RECONSIDERATION/OTHER
11. The request for reconsideration has been considered but does NOT place the application in condition for allowance because:
12. Note the attached Information <i>Disclosure Statement</i> (s). (PTO/SB/08) Paper No(s).
13. \(Other: It should be noted that applicant's proposed amendments to claim 20 would overcome the previous rejections and would
thus be allowable over the prior art of record. Applicant's proposed amendment to claim 4 would NOT address the examiner's objection to the claim in regards to it being unclear whether or not the medical instrument is the same as that set forth in claim 7. In regards to
to the claim in regards to it being unclear whether or not the medical instrument is the same as that set forth in claim 7. In regards to claim 21, applicant's proposed amendments adding the limitation of "having a relative permittivity less than 4" changes the scope of the
claim, this would be sufficient to overcome the related 112 rejections. However, applicant has argued in regards to claim 21 and the related 103 rejection, that none of the references address "the electrical conductors being configured to have a common mode

frequency that is greater than a magnetic resonance excitation frequency of the associated mangetic resonance imaging machine". However, the examiner indicated that the construction of the conductors would inherently shift the common mode frequency, inhibiting

heating adjacent to the catheter. The applicant's arguments do not address this.

Continuation Sheet (PTOL-303)

Application No.

/Ruth S. Smith/ Primary Examiner, Art Unit 3737

U.S. Patent and Trademark Office PTOL-303 (Rev. 08-06)

Advisory Action Before the Filing of an Appeal Brief

Part of Paper No. 20080604